



## MASSACHUSETTS

Blue Cross Blue Shield of Massachusetts is an Independent Licensee of the Blue Cross and Blue Shield Association

# Medical Policy

## Transcatheter Mitral Valve Repair

### Table of Contents

- [Policy: Commercial](#)
- [Policy: Medicare](#)
- [Authorization Information](#)
- [Coding Information](#)
- [Description](#)
- [Policy History](#)
- [Information Pertaining to All Policies](#)
- [References](#)

### Policy Number: 692

BCBSA Reference Number: 2.02.30

NCD/LCD: National Coverage Determination (NCD) for Transcatheter Mitral Valve Repair (TMVR) (20.33)

### Related Policies

- Transcatheter Pulmonary Valve Implantation, #[403](#)
- Transcatheter Aortic-Valve Implantation for Aortic Stenosis, #[392](#)

### Policy

#### Commercial Members: Managed Care (HMO and POS), PPO, and Indemnity

Transcatheter mitral valve repair with a device approved by the U.S. Food and Drug Administration for use in mitral valve repair may be considered **MEDICALLY NECESSARY** for patients with symptomatic, degenerative mitral regurgitation who are considered at prohibitive risk for open surgery.\*

\*"Prohibitive risk" for open surgery may be determined based on:

- Presence of a Society for Thoracic Surgeons predicted mortality risk of 12% or greater and/or
- Presence of a logistic EuroSCORE of 20% or greater.

Transcatheter mitral valve repair is considered **INVESTIGATIONAL** in all other situations.

#### Medicare HMO Blue<sup>SM</sup> and Medicare PPO Blue<sup>SM</sup> Members

Medical necessity criteria and coding guidance can be found through the link below.

[National Coverage Determinations \(NCDs\)](#)

National Coverage Determination (NCD) for Transcatheter Mitral Valve Repair (TMVR) (20.33)

**Note:** To review the specific NCD, please remember to click "accept" on the CMS licensing agreement at the bottom of the CMS webpage.

## Prior Authorization Information

### Inpatient

- For services described in this policy, precertification/preauthorization **IS REQUIRED** for all products if the procedure is performed **inpatient**.

### Outpatient

- For services described in this policy, see below for products where prior authorization **might be required** if the procedure is performed **outpatient**.

	Outpatient
Commercial Managed Care (HMO and POS)	Prior authorization is <b>not required</b> .
Commercial PPO and Indemnity	Prior authorization is <b>not required</b> .
Medicare HMO Blue <sup>SM</sup>	Prior authorization is <b>not required</b> .
Medicare PPO Blue <sup>SM</sup>	Prior authorization is <b>not required</b> .

## CPT Codes / HCPCS Codes / ICD Codes

Inclusion or exclusion of a code does not constitute or imply member coverage or provider reimbursement. Please refer to the member's contract benefits in effect at the time of service to determine coverage or non-coverage as it applies to an individual member.

Providers should report all services using the most up-to-date industry-standard procedure, revenue, and diagnosis codes, including modifiers where applicable.

The following codes are included below for informational purposes only; this is not an all-inclusive list.

The above **medical necessity criteria MUST** be met for the following codes to be covered for Commercial Members: Managed Care (HMO and POS), PPO, and Indemnity:

### CPT Codes

CPT codes:	Code Description
33418	Transcatheter mitral valve repair, percutaneous approach, including transeptal puncture when performed; initial prosthesis
33419	Transcatheter mitral valve repair, percutaneous approach, including transeptal puncture when performed; additional prosthesis(es) during same session (List separately in addition to code for primary procedure)
0345T	Transcatheter mitral valve repair percutaneous approach via the coronary sinus

### ICD-10 Procedure Codes

ICD-10-PCS procedure codes:	Code Description
02RG3JZ	Replacement of Mitral Valve with Synthetic Substitute, Percutaneous Approach
02RG4JZ	Replacement of Mitral Valve with Synthetic Substitute, Percutaneous Endoscopic Approach
02QG3ZZ	Repair Mitral Valve, Percutaneous Approach
02QG4ZZ	Repair Mitral Valve, Percutaneous Endoscopic Approach
02UG3JZ	Supplement Mitral Valve with Synthetic Substitute, Percutaneous Approach
02UG4JZ	Supplement Mitral Valve with Synthetic Substitute, Percutaneous Endoscopic Approach

## Description

## MITRAL REGURGITATION

### Epidemiology and Classification

Mitral regurgitation (MR) is the second most common valvular heart disease, occurring in 7% of people older than age 75 years and accounting for 24% of all patients with valvular heart disease.<sup>1,2</sup>

Patients with MR generally fall into 2 categories—primary (also called degenerative) and secondary (also called functional) MR. Primary MR results from a primary structural abnormality in the valve, which causes it to leak. This leak may result from a floppy leaflet (called prolapse) or a ruptured cord that caused the leaflet to detach partially (called flail).<sup>3</sup> Because the primary cause is a structural abnormality, most cases of primary MR are surgically corrected. In contrast, secondary MR results from left ventricular dilatation due to ischemic or dilated cardiomyopathy. This causes the mitral valve (MV) leaflets not to coapt or meet in the center.<sup>4</sup> Because the valves are structurally normal in secondary MR, correcting the dilated left ventricular using medical therapy is the primary treatment strategy used in the United States.

MR severity is classified as mild, moderate, or severe disease on the basis of echocardiographic and/or angiographic findings (1+, 2+, and 3-4+ angiographic grade, respectively). MR with accompanying valvular incompetence leads to left ventricular volume overload with secondary ventricular remodeling, myocardial dysfunction, and left heart failure. Clinical signs and symptoms of dyspnea and orthopnea may also present in patients with valvular dysfunction.<sup>4</sup>

### Standard Management

#### Medical Management

Medical management has a primary role in secondary MR. Patients with chronic secondary MR should receive standard therapy for heart failure with reduced ejection fraction; standard management includes angiotensin converting enzyme inhibitor (or angiotensin II receptor blocker or angiotensin receptor-neprilysin inhibitor),  $\beta$ -blocker and mineralocorticoid receptor antagonist, and diuretic therapy as needed to treat volume overload.<sup>3,4</sup>

#### Surgical Management

In symptomatic patients with primary MR, surgery is the main therapy. In most cases, MV repair is preferred over replacement, as long as the valve is suitable for repair and personnel with appropriate surgical expertise are available. The American College of Cardiology and the American Heart Association have issued joint guidelines on the surgical management of MV, which are outlined in Table 1.<sup>3</sup>

**Table 1. Guidelines on Mitral Value Surgery**

Recommendation	COR	LOE
MV surgery is recommended for the symptomatic patient with acute severe MR.	I	B
MV surgery is beneficial for patients with chronic severe MR and NYHA functional class II, III, or IV symptoms in the absence of severe LV dysfunction (severe LV dysfunction is defined as ejection fraction less than 0.30) and/or end-systolic dimension greater than 55 mm.	I	B
MV surgery is beneficial for asymptomatic patients with chronic severe MR and mild-to-moderate LV dysfunction, ejection fraction 0.30 to 0.60, and/or end systolic dimension greater than or equal to 40 mm.	I	B
MV repair is recommended over MV replacement in the majority of patients with severe chronic MR who require surgery, and patients should be referred to surgical centers experienced in MV repair.	I	C
MV repair is also reasonable for asymptomatic patients with chronic severe MR with preserved LV function ... in whom the high likelihood of successful MV repair without residual MR is greater than 90%.	Ila	B
MV surgery is reasonable for asymptomatic patients with chronic severe MR, preserved LV function, and new onset of atrial fibrillation	Ila	C

MV surgery is reasonable for asymptomatic patients with chronic severe MR,* preserved LV function, and pulmonary hypertension....	Ila	C
MV surgery is reasonable for patients with chronic severe MR due to a primary abnormality of the mitral apparatus and NYHA functional class III–IV symptoms and severe LV dysfunction ... in whom MV repair is highly likely	Ila	C

COR: class of recommendation; LOE: level of evidence; LV: left ventricular; MR: mitral regurgitation; MV: mitral valve; NYHA: New York Heart Association.

The use of standard open MV repair is limited by the requirement for thoracotomy and cardiopulmonary bypass, which may not be tolerated by elderly or debilitated patients due to their underlying cardiac disease or other conditions. In a single-center evaluation of 5737 patients with severe MR in the United States, Goel et al (2014) found that 53% of patients did not have MV surgery performed, suggesting an unmet need for such patients.<sup>5</sup>

### **Transcatheter MV Repair**

Transcatheter approaches have been investigated to address the unmet need for less invasive MV repair, particularly among inoperable patients who face prohibitively high surgical risks due to age or comorbidities. MV repair devices under development address various components of the MV complex and generally are performed on the beating heart without the need for cardiopulmonary bypass.<sup>1,6</sup> Approaches to MV repair include direct leaflet repair, repair of the mitral annulus via direct annuloplasty, or indirect repair based on the annulus's proximity to the coronary sinus. There are also devices in development to counteract ventricular remodeling, and systems designed for complete MV replacement via catheter.

#### ***Direct Leaflet Approximation***

One device that undertakes direct leaflet repair, the MitraClip Clip Delivery System (Abbott Vascular), has been approved through the premarket approval process by the U.S. Food and Drug Administration (FDA) for use in certain patients with symptomatic primary MR (see Regulatory Status section). Of the transcatheter MV repair devices under investigation, MitraClip has the largest body of evidence evaluating its use; it has been in use in Europe since 2008.<sup>7</sup> The MitraClip system is deployed percutaneously and approximates the open Alfieri edge-to-edge repair approach to treating MR. The delivery system consists of a catheter, a steerable sleeve, and the MitraClip device, which is a 4-mm wide clip fabricated from a cobalt-chromium alloy and polypropylene fabric. MitraClip is deployed via a transfemoral approach, with transseptal puncture used to access the left side of the heart and the MV. Placement of MitraClip leads to coapting of the mitral leaflets, thus creating a double-orifice valve.

#### ***Other MV Repair Devices***

Devices for transcatheter MV repair that use different approaches are in development. Techniques to repair the mitral annulus include those that target the annulus itself (direct annuloplasty) and those that tighten the mitral annulus via manipulation of the adjacent coronary sinus (indirect annuloplasty). Indirect annuloplasty devices include the Carillon® Mitral Contour System (Cardiac Dimension) and the Monarc™ device (Edwards Lifesciences). The CE-marked Carillon Mitral Contour System is comprised of self-expanding proximal and distal anchors connected with a nitinol bridge, with the proximal end coronary sinus ostium and the distal anchor in the great cardiac vein. The size of the connection is controlled by manual pullback on the catheter (CE-marked). The Carillon system was evaluated in the Carillon Mitral Annuloplasty Device European Union Study (AMADEUS) and the follow-up Tighten the Annulus Now study, with further studies planned.<sup>8</sup> The Monarc system also involves 2 self-expanding stents connected by a nitinol bridge, with 1 end implanted in the coronary sinus via internal jugular vein and the other in the great cardiac vein. Several weeks after implantation, the biologically degradable coating over the nitinol bridge degrades, allowing the bridge to shrink and the system to shorten. It has been evaluated in the Clinical Evaluation of the Edwards Lifesciences Percutaneous Mitral Annuloplasty System for the Treatment of Mitral Regurgitation (EVOLUTION I) trial.<sup>9</sup>

Direct annuloplasty devices include the Mitralign Percutaneous Annuloplasty System (Mitralign) and the AccuCinch® System (Guided Delivery Systems), both of which involve transcatheter placement of anchors in the MV; they are cinched or connected to narrow the mitral annulus. Other transcatheter

direct annuloplasty devices under investigation include the enCorTC™ device (MiCardia), which involves a percutaneously insertable annuloplasty ring that is adjustable using radiofrequency energy, a variation on its CE-marked enCor<sub>SO</sub>™ Mitral Valve Repair System, and the Cardioband™ Annuloplasty System (Valtech Cardio), an implantable annuloplasty band with a transfemoral venous delivery system.

### ***Transcatheter MV Replacement***

Permavalve™ (MicroInterventional Devices), under investigation in the United States, is a transcatheter MV replacement device that is delivered via the transapical approach. On June 5, 2017, the SAPIEN 3 Transcatheter Heart Valve (Edwards Lifesciences) was approved by FDA as MV replacement device. These replacement valves are outside the scope of this evidence review.

## **Summary**

Transcatheter mitral valve repair (TMVR) is an alternative to surgical therapy for mitral regurgitation (MR). MR is a common valvular heart disease that can result from a primary structural abnormality of the mitral valve (MV) complex or a secondary dilatation of an anatomically normal MV due to a dilated left ventricle caused by ischemic or dilated cardiomyopathy. Surgical therapy may be underutilized, particularly in patients with multiple comorbidities, suggesting that there is an unmet need for less invasive procedures for MV repair. One device, MitraClip, has approval from the U.S. Food and Drug Administration for the treatment of severe symptomatic MR due to a primary abnormality of the MV (primary MR) in patients considered at prohibitive risk for surgery.

### **MitraClip**

#### ***Primary MR at Prohibitive Risk for Surgery***

For individuals who have symptomatic primary MR and at prohibitive risk for open surgery who receive TMVR using MitraClip, the evidence includes a single-arm prospective cohort with historical cohort and registry studies. Relevant outcomes are overall survival, morbid events, functional outcomes, and treatment-related morbidity. The primary evidence includes the pivotal EVEREST II HRR and EVEREST II REALISM studies and Transcatheter Valve Therapy Registry studies. These studies have demonstrated that MitraClip implantation is feasible with a procedural success rate greater than 90%, 30-day mortality ranging from 2.3% to 6.4% (less than predicted Society of Thoracic Surgeons mortality risk score for MR repair or replacement; range, 9.5%-13.2%), postimplantation MR severity grade of 2+ or less in 82% to 93% of patients, and a clinically meaningful gain in quality of life (5- to 6-point gains in 36-Item Short-Form Health Survey scores). At 1 year, freedom from death and MR more than 2+ was achieved in 61% of patients but the 1-year mortality or heart failure hospitalization rates remain considerably high (38%). Conclusions related to the treatment effect on mortality based on historical controls cannot be made because the control groups did not provide unbiased or precise estimates of the natural history of patients eligible to receive MitraClip. Given that primary MR is a mechanical problem and there is no effective medical therapy, a randomized controlled trial (RCT) comparing MitraClip with medical management is not feasible or ethical. The postmarketing data from the United States is supportive that MitraClip surgery is being performed with short-term effectiveness and safety in select patient population. The evidence is sufficient to determine that the technology results in a meaningful improvement in the net health outcome.

Clinical input obtained in 2015 supported the use of TMVR in patients with primary MR considered at a prohibitive risk for open surgery, which is the U.S. Food and Drug Administration–approved indication for the MitraClip device. Given the lack of other treatment options for this population, the suggestive clinical evidence, and supportive clinical input, TMVR with the MitraClip may be considered medically necessary for this patient population.

#### ***Secondary MR at Prohibitive Risk for Surgery***

For individuals who have symptomatic secondary MR and at prohibitive risk for open surgery who receive TMVR using MitraClip, the evidence includes multiple observational studies. Relevant outcomes are overall survival, morbid events, functional outcomes, and treatment-related morbidity. Multiple observational studies from Europe have suggested that MitraClip reduces the severity of MR and improves functional class in patients with secondary MR. However, recommendations from major

societies regarding mitral valve surgery (conventional or percutaneous) are weak because the current evidence is inconsistent on whether mitral valve surgery produces a clinical benefit in patients with secondary MR. A RCT comparing the safety and effectiveness of MitraClip (COAPT trial) in patients with secondary MR is currently underway and is expected to be completed in 2024. The evidence is insufficient to determine the effects of the technology on health outcomes.

### **Primary or Secondary MR Not at Risk for Surgery**

For individuals who have symptomatic primary or secondary MR and are surgical candidates who receive TMVR using MitraClip, the evidence includes a systematic review and an RCT. Relevant outcomes are overall survival, morbid events, functional outcomes, and treatment-related morbidity. The RCT found that MitraClip did not reduce MR as often or as completely as the surgical control, although it could be safely implanted and was associated with fewer adverse events at 1 year. Long-term follow-up from the RCT showed that significantly more MitraClip patients required surgery for MV dysfunction than conventional surgery patients. For these reasons, this single trial is not definitive in demonstrating improved clinical outcomes with MitraClip compared with surgery. Additional RCTs are needed to corroborate these results. The evidence is insufficient to determine the effects of the technology on health outcomes.

### **Devices Other Than MitraClip**

For individuals who have symptomatic primary or secondary MR who receive TMVR using devices other than MitraClip, the evidence includes primarily noncomparative feasibility studies. Relevant outcomes are overall survival, morbid events, functional outcomes, and treatment-related morbidity. The body of evidence consists only of very small case series and case reports. Controlled studies, preferably RCTs, are needed to draw conclusions about the net health benefit. The evidence is insufficient to determine the effects of the technology on health outcomes.

## **Policy History**

<b>Date</b>	<b>Action</b>
11/2018	BCBSA National medical policy review. Summary clarified. References updated. Policy statements unchanged.
7/2018	BCBSA National medical policy review. Policy clarified. "Cleared" changed to "approved" in the medically necessary policy statement.
7/2017	BCBSA National medical policy review. Medically necessary criteria clarified.
7/2016	New references added from BCBSA National medical policy.
3/2016	BCBSA National medical policy review. Transcatheter mitral valve repair considered medically necessary for degenerative mitral regurgitation in patients at prohibitive surgical risk. Clarified coding information. Effective 3/1/2016.
2/2015	National Coverage Determination (NCD) for Transcatheter Mitral Valve Repair (TMVR) (20.33) added. Effective 8/7/2014. Clarified coding information.
12/2014	New policy describing investigational indications. Effective 12/1/2014.

## **Information Pertaining to All Blue Cross Blue Shield Medical Policies**

Click on any of the following terms to access the relevant information:

- [Medical Policy Terms of Use](#)
- [Managed Care Guidelines](#)
- [Indemnity/PPO Guidelines](#)
- [Clinical Exception Process](#)
- [Medical Technology Assessment Guidelines](#)

## **References**

1. Chiam PT, Ruiz CE. Percutaneous transcatheter mitral valve repair: a classification of the technology. *JACC Cardiovasc Interv.* Jan 2011;4(1):1-13. PMID 21251623
2. Fedak PW, McCarthy PM, Bonow RO. Evolving concepts and technologies in mitral valve repair. *Circulation.* Feb 19 2008;117(7):963-974. PMID 18285577
3. Bonow RO, Carabello BA, Chatterjee K, et al. 2008 focused update incorporated into the ACC/AHA 2006 guidelines for the management of patients with valvular heart disease: a report of the American

- College of Cardiology/American Heart Association Task Force on Practice Guidelines (Writing Committee to revise the 1998 guidelines for the management of patients with valvular heart disease). Endorsed by the Society of Cardiovascular Anesthesiologists, Society for Cardiovascular Angiography and Interventions, and Society of Thoracic Surgeons. *J Am Coll Cardiol*. Sep 23 2008;52(13):e1-142. PMID 18848134
4. Carabello BA. The current therapy for mitral regurgitation. *J Am Coll Cardiol*. Jul 29 2008;52(5):319-326. PMID 18652937
  5. Goel SS, Bajaj N, Aggarwal B, et al. Prevalence and outcomes of unoperated patients with severe symptomatic mitral regurgitation and heart failure: comprehensive analysis to determine the potential role of MitraClip for this unmet need. *J Am Coll Cardiol*. Jan 21 2014;63(2):185-186. PMID 24036029
  6. Young A, Feldman T. Percutaneous mitral valve repair. *Curr Cardiol Rep*. Jan 2014;16(1):443. PMID 24281977
  7. Minha S, Torguson R, Waksman R. Overview of the 2013 Food and Drug Administration Circulatory System Devices Panel meeting on the MitraClip Delivery System. *Circulation*. Aug 20 2013;128(8):864-868. PMID 23960257
  8. Siminiak T, Wu JC, Haude M, et al. Treatment of functional mitral regurgitation by percutaneous annuloplasty: results of the TITAN Trial. *Eur J Heart Fail*. Aug 2012;14(8):931-938. PMID 22613584
  9. Harnek J, Webb JG, Kuck KH, et al. Transcatheter implantation of the MONARC coronary sinus device for mitral regurgitation: 1-year results from the EVOLUTION phase I study (Clinical Evaluation of the Edwards Lifesciences Percutaneous Mitral Annuloplasty System for the Treatment of Mitral Regurgitation). *JACC Cardiovasc Interv*. Jan 2011;4(1):115-122. PMID 21251638
  10. Food and Drug Administration. Summary of Safety and Effectiveness Data (SSED): Mitral Valve Repair Device. 2013; [https://www.accessdata.fda.gov/cdrh\\_docs/pdf10/P100009b.pdf](https://www.accessdata.fda.gov/cdrh_docs/pdf10/P100009b.pdf). Accessed April 19, 2018.
  11. Blue Cross and Blue Shield Association Technology Evaluation Center (TEC). Percutaneous mitral valve repair. *TEC Assessments 2014*;Volume 29:Tab 4. PMID
  12. Reichenspurner H, Schillinger W, Baldus S, et al. Clinical outcomes through 12 months in patients with degenerative mitral regurgitation treated with the MitraClip(R) device in the ACCESS-Europe Phase I trial. *Eur J Cardiothorac Surg*. Oct 2013;44(4):e280-288. PMID 23864216
  13. Lim S, Kar S, Fail P, et al. The EVEREST II high surgical risk cohort: effectiveness of transcatheter reduction of significant mitral regurgitation in high surgical risk patients. *J Am Coll Cardiol*. 2013;61(10 Suppl):E1958. PMID
  14. Lim DS, Reynolds MR, Feldman T, et al. Improved functional status and quality of life in prohibitive surgical risk patients with degenerative mitral regurgitation after transcatheter mitral valve repair. *J Am Coll Cardiol*. Jul 15 2014;64(2):182-192. PMID 24184254
  15. Ware J, Kosinski M, Bjorner JB, et al. *User's Manual for the SF-36v2 Health Survey (2nd Ed)*. Lincoln, RI: QualityMetric; 2007.
  16. Sorajja P, Mack M, Vemulapalli S, et al. Initial experience with commercial transcatheter mitral valve repair in the United States. *J Am Coll Cardiol*. Mar 15 2016;67(10):1129-1140. PMID 26965532
  17. Sorajja P, Vemulapalli S, Feldman T, et al. Outcomes With transcatheter mitral valve repair in the United States: An STS/ACC TVT Registry Report. *J Am Coll Cardiol*. Nov 7 2017;70(19):2315-2327. PMID 29096801
  18. Glower DD, Kar S, Trento A, et al. Percutaneous mitral valve repair for mitral regurgitation in high-risk patients: results of the EVEREST II study. *J Am Coll Cardiol*. Jul 15 2014;64(2):172-181. PMID 25011722
  19. Feldman T, Kar S, Rinaldi M, et al. Percutaneous mitral repair with the MitraClip system: safety and midterm durability in the initial EVEREST (Endovascular Valve Edge-to-Edge REpair Study) cohort. *J Am Coll Cardiol*. Aug 18 2009;54(8):686-694. PMID 19679246
  20. Chan PH, She HL, Alegria-Barrero E, et al. Real-world experience of MitraClip for treatment of severe mitral regurgitation. *Circ J*. Jul 2012;76(10):2488-2493. PMID 22785461
  21. Whitlow PL, Feldman T, Pedersen WR, et al. Acute and 12-month results with catheter-based mitral valve leaflet repair: the EVEREST II (Endovascular Valve Edge-to-Edge Repair) High Risk Study. *J Am Coll Cardiol*. Jan 10 2012;59(2):130-139. PMID 22222076
  22. Wan B, Rahnavardi M, Tian DH, et al. A meta-analysis of MitraClip system versus surgery for treatment of severe mitral regurgitation. *Ann Cardiothorac Surg*. Nov 2013;2(6):683-692. PMID 24349969

23. Bail DH, Doebler K. The MitraClip System: a systematic review of indications, procedural requirements, and guidelines. *Thorac Cardiovasc Surg.* Feb 2014;62(1):18-25. PMID 24297637
24. Estévez-Loureiro R, Franzen O, Winter R, et al. Echocardiographic and clinical outcomes of central versus noncentral percutaneous edge-to-edge repair of degenerative mitral regurgitation. *J Am Coll Cardiol.* Dec 24 2013;62(25):2370-2377. PMID 24013059
25. Grasso C, Ohno Y, Attizzani GF, et al. Percutaneous mitral valve repair with the MitraClip system for severe mitral regurgitation in patients with surgical mitral valve repair failure. *J Am Coll Cardiol.* Mar 4 2014;63(8):836-838. PMID 24161329
26. Munkholm-Larsen S, Wan B, Tian DH, et al. A systematic review on the safety and efficacy of percutaneous edge-to-edge mitral valve repair with the MitraClip system for high surgical risk candidates. *Heart.* Mar 2014;100(6):473-478. PMID 23813844
27. Swaans MJ, Bakker AL, Alipour A, et al. Survival of transcatheter mitral valve repair compared with surgical and conservative treatment in high-surgical-risk patients. *JACC Cardiovasc Interv.* Aug 2014;7(8):875-881. PMID 25147032
28. Philip F, Athappan G, Tuzcu EM, et al. MitraClip for severe symptomatic mitral regurgitation in patients at high surgical risk: a comprehensive systematic review. *Catheter Cardiovasc Interv.* Oct 1 2014;84(4):581-590. PMID 24905665
29. Vakili K, Roukoz H, Sarraf M, et al. Safety and efficacy of the MitraClip(R) system for severe mitral regurgitation: a systematic review. *Catheter Cardiovasc Interv.* Jul 1 2014;84(1):129-136. PMID 24323764
30. Bail DH. (Meta)-analysis of safety and efficacy following edge-to-edge mitral valve repair using the MitraClip system. *J Interv Cardiol.* Feb 2015;28(1):69-75. PMID 25689550
31. Velazquez EJ, Samad Z, Al-Khalidi HR, et al. The MitraClip and survival in patients with mitral regurgitation at high risk for surgery: A propensity-matched comparison. *Am Heart J.* Nov 2015;170(5):1050-1059 e1053. PMID 26542516
32. Hayashida K, Yasuda S, Matsumoto T, et al. AVJ-514 Trial- baseline characteristics and 30-day outcomes following MitraClip((R)) Treatment in a Japanese cohort. *Circ J.* Jul 25 2017;81(8):1116-1122. PMID 28321004
33. Nishimura RA, Otto CM, Bonow RO, et al. 2017 AHA/ACC Focused Update of the 2014 AHA/ACC Guideline for the Management of Patients With Valvular Heart Disease: A Report of the American College of Cardiology/American Heart Association Task Force on Clinical Practice Guidelines. *J Am Coll Cardiol.* Jul 11 2017;70(2):252-289. PMID 28315732
34. Joint Task Force on the Management of Valvular Heart Disease of the European Society of Cardiology, European Association for Cardio-Thoracic Surgery, Vahanian A, et al. Guidelines on the management of valvular heart disease (version 2012). *Eur Heart J.* Oct 2012;33(19):2451-2496. PMID 22922415
35. Diodato MD, Moon MR, Pasque MK, et al. Repair of ischemic mitral regurgitation does not increase mortality or improve long-term survival in patients undergoing coronary artery revascularization: a propensity analysis. *Ann Thorac Surg.* Sep 2004;78(3):794-799; discussion 794-799. PMID 15336993
36. Wong DR, Agnihotri AK, Hung JW, et al. Long-term survival after surgical revascularization for moderate ischemic mitral regurgitation. *Ann Thorac Surg.* Aug 2005;80(2):570-577. PMID 16039207
37. Mihaljevic T, Lam BK, Rajeswaran J, et al. Impact of mitral valve annuloplasty combined with revascularization in patients with functional ischemic mitral regurgitation. *J Am Coll Cardiol.* Jun 5 2007;49(22):2191-2201. PMID 17543639
38. Smith PK, Puskas JD, Ascheim DD, et al. Surgical treatment of moderate ischemic mitral regurgitation. *N Engl J Med.* Dec 4 2014;371(23):2178-2188. PMID 25405390
39. Takagi H, Ando T, Umemoto T. A review of comparative studies of MitraClip versus surgical repair for mitral regurgitation. *Int J Cardiol.* Feb 01 2017;228:289-294. PMID 27865200
40. Feldman T, Foster E, Glower DD, et al. Percutaneous repair or surgery for mitral regurgitation. *N Engl J Med.* Apr 14 2011;364(15):1395-1406. PMID 21463154
41. Mauri L, Garg P, Massaro JM, et al. The EVEREST II Trial: design and rationale for a randomized study of the evalve mitraclip system compared with mitral valve surgery for mitral regurgitation. *Am Heart J.* Jul 2010;160(1):23-29. PMID 20598968
42. Mauri L, Foster E, Glower DD, et al. 4-year results of a randomized controlled trial of percutaneous repair versus surgery for mitral regurgitation. *J Am Coll Cardiol.* Jul 23 2013;62(4):317-328. PMID 23665364



43. Feldman T, Kar S, Elmariah S, et al. Randomized comparison of percutaneous repair and surgery for mitral regurgitation: 5-year results of EVEREST II. *J Am Coll Cardiol*. Dec 29 2015;66(25):2844-2854. PMID 26718672
44. Schofer J, Siminiak T, Haude M, et al. Percutaneous mitral annuloplasty for functional mitral regurgitation: results of the CARILLON Mitral Annuloplasty Device European Union Study. *Circulation*. Jul 28 2009;120(4):326-333. PMID 19597051
45. O'Gara PT, Calhoun JH, Moon MR, et al. Transcatheter therapies for mitral regurgitation: a professional society overview from the American College of Cardiology, The American Association for Thoracic Surgery, Society for Cardiovascular Angiography and Interventions Foundation, and The Society of Thoracic Surgeons. *J Thorac Cardiovasc Surg*. Mar 2014;147(3):837-849. PMID 24529172
46. Baumgartner H, Falk V, Bax JJ, et al. 2017 ESC/EACTS Guidelines for the management of valvular heart disease. *Eur Heart J*. Sep 21 2017;38(36):2739-2791. PMID 28886619
47. Centers for Medicare & Medicaid Services. National Coverage Determination (NCD) for Transcatheter MITRAL Valve Repair (TMVR) (20.33). 2015; <https://www.cms.gov/medicare-coverage-database/details/ncd-details.aspx?NCDId=363&ncdver=1&CoverageSelection=National&KeyWord=mitral&KeyWordLookUp=Title&KeyWordSearchType=And&bc=gAAAABAAAAAAAAA%3d%3d&>. Accessed April 19, 2018.