



MASSACHUSETTS

Blue Cross Blue Shield of Massachusetts is an Independent Licensee of the Blue Cross and Blue Shield Association

Medical Policy

Phototherapy: PUVA, UV-B and Targeted Phototherapy

Table of Contents

- [Policy: Commercial](#)
- [Policy: Medicare](#)
- [Authorization Information](#)
- [Coding Information](#)
- [Description](#)
- [Policy History](#)
- [Information Pertaining to All Policies](#)
- [References](#)
- [Endnotes](#)

Policy Number: 059

BCBSA Reference Number: 2.01.47; 2.01.86

NCD/LCD: National Coverage Determination (NCD) for Treatment of Psoriasis (250.1)

Related Policies

Dermatologic Applications of Photodynamic Therapy, #463

Policy

Commercial Members: Managed Care (HMO and POS), PPO, and Indemnity Medicare HMO BlueSM and Medicare PPO BlueSM Members

Photochemotherapy with psoralen plus ultraviolet A (PUVA)

PUVA treatment for the following conditions may be considered **MEDICALLY NECESSARY**:

- Parapsoriasis
- Atopic dermatitis/ Eczema
- Lichen planus
- Urticaria pigmentosa
- Chronic recalcitrant dermatitis
- Pruritus
- Dyshidrosis
- pityriasis lichenoides chronica
- Alopecia areata (if conservative treatment has failed)
- Vitiligo.

PUVA for the treatment of severe, disabling psoriasis, which is not responsive to other forms of conservative therapy (eg, topical corticosteroids, coal/tar preparations, and ultraviolet light), may be considered **MEDICALLY NECESSARY**.⁵

PUVA treatment as initial (primary) treatment for mycosis fungoides stage I (early infiltrative) and stage II (infiltrative plaques) may be considered **MEDICALLY NECESSARY**.

PUVA treatment is **INVESTIGATIONAL** for other conditions not listed above.

Relative Contraindications to PUVA Therapy¹

The following are relative contraindications to PUVA therapy. Coverage is determined at the physician's discretion:

- Pregnancy (absolute contraindication)
- History or presence of melanoma or other skin cancer
- History of arsenic or ionizing radiation exposure.

Certain diseases may be worsened by UV light, including:

- Lupus
- Xeroderma pigmentosum
- Albinism
- Porphyria
- Cataracts
- Aphakia
- Severe heart, kidney, or liver disease
- Certain diseases with suppressed immune systems
- Patients allergic to this form of light.

Ultraviolet B phototherapy (UV-B)

UV-B phototherapy which may be administered in 3 different ways may be considered **MEDICALLY NECESSARY**:

- Broadband in a light box
- Narrow band in a light box
- Narrowband emitted or delivered by laser.²

Home ultraviolet light booth for UV-B phototherapy may be considered **MEDICALLY NECESSARY** for patients with severe psoriasis.

UV-B phototherapy may be considered **MEDICALLY NECESSARY** for patients with the following:

- Alopecia areata (if conservative treatment has failed)
- Atopic dermatitis/ Eczema
- Chronic recalcitrant dermatitis
- Lichen planus
- Mild to moderate psoriasis that is unresponsive to conservative treatment
- Moderate to severe localized psoriasis (i.e., comprising less than 20% body area) for which NB-UVB or PUVA are indicated
- Mycosis fungoides
- Parapsoriasis
- Pityriasis lichenoides chronica
- Pruritus
- Urticaria pigmentosa
- Vitiligo.*

UV-B phototherapy may be considered **INVESTIGATIONAL** for other conditions not listed above.

Phototherapy (including light boxes, panels, or visors) may be considered **INVESTIGATIONAL** for the following conditions because light therapy has not been shown to be more effective than placebo for:

- Jet lag
- Disorders related to shift work or irregular work cycles
- Delayed or altered sleep phase syndromes
- Circadian rhythm disorders.

Targeted phototherapy

*Targeted phototherapy for the **treatment of vitiligo** may be considered **MEDICALLY NECESSARY** when the following criteria are met:³

- The area being treated cannot be adequately reached during light box therapy (eg, face, scalp, fingers/toes, neck, intertriginous areas), **or**
- There is contraindication to total body phototherapy (eg, pregnancy or a history of skin cancer).

Targeted phototherapy may be considered **MEDICALLY NECESSARY** for the **treatment of moderate to severe localized psoriasis** (ie, comprising less than 20% body area) for which NB-UVB or PUVA are indicated.⁴

Targeted phototherapy may be considered **MEDICALLY NECESSARY** for the **treatment of mild to moderate localized psoriasis** that is unresponsive to conservative treatment.⁴

Targeted phototherapy is considered **INVESTIGATIONAL** for the **first-line treatment of mild psoriasis**.⁴

Targeted phototherapy is considered **INVESTIGATIONAL** for the **treatment of generalized psoriasis or psoriatic arthritis**.⁴

Medicare HMO BlueSM and Medicare PPO BlueSM Members

Medical necessity criteria and coding guidance can be found through the link below.

[National Coverage Determinations \(NCDs\)](#)

National Coverage Determination (NCD) for Treatment of Psoriasis (250.1)

Note: To review the specific NCD, please remember to click “accept” on the CMS licensing agreement at the bottom of the CMS webpage.

Prior Authorization Information

Inpatient

- For services described in this policy, precertification/preauthorization **IS REQUIRED** for all products if the procedure is performed **inpatient**.

Outpatient

- For services described in this policy, see below for products where prior authorization **might be required** if the procedure is performed **outpatient**.

	Outpatient
Commercial Managed Care (HMO and POS)	Prior authorization is not required .
Commercial PPO and Indemnity	Prior authorization is not required .
Medicare HMO Blue SM	Prior authorization is not required .
Medicare PPO Blue SM	Prior authorization is not required .

CPT Codes / HCPCS Codes / ICD Codes

Inclusion or exclusion of a code does not constitute or imply member coverage or provider reimbursement. Please refer to the member’s contract benefits in effect at the time of service to determine coverage or non-coverage as it applies to an individual member.

Providers should report all services using the most up-to-date industry-standard procedure, revenue, and diagnosis codes, including modifiers where applicable.

The following codes are included below for informational purposes only; this is not an all-inclusive list.

The above **medical necessity criteria** **MUST** be met for the following codes to be covered for Commercial Members: Managed Care (HMO and POS), PPO, Indemnity, Medicare HMO Blue and Medicare PPO Blue:

CPT Codes

CPT codes:	Code Description
96912	Photochemotherapy; psoralens, and ultraviolet A (PUVA)
96913	Photochemotherapy (Goeckerman and/or PUVA) for severe photoresponsive dermatoses requiring at least 4-8 hours of care under direct supervision of the physician (includes application of medication and dressings)

The following ICD Diagnosis Codes are considered medically necessary when submitted with the CPT codes above if **medical necessity criteria** are met:

ICD-10 Diagnosis Codes

ICD-10CM diagnosis codes:	Code Description
C84.00	Mycosis Fungoides, Unspecified Site
C84.01	Mycosis Fungoides, Lymph Nodes Of Head, Face, And Neck
C84.02	Mycosis Fungoides, Intrathoracic Lymph Nodes
C84.03	Mycosis Fungoides, Intra-Abdominal Lymph Nodes
C84.04	Mycosis Fungoides, Lymph Nodes Of Axilla And Upper Limb
C84.05	Mycosis Fungoides, Lymph Nodes Of Inguinal Region And Lower Limb
C84.06	Mycosis Fungoides, Intrapelvic Lymph Nodes
C84.07	Mycosis Fungoides, Spleen
C84.08	Mycosis Fungoides, Lymph Nodes Of Multiple Sites
C84.09	Mycosis Fungoides, Extranodal And Solid Organ Sites
H02.731	Vitiligo of right upper eyelid and periocular area
H02.732	Vitiligo of right lower eyelid and periocular area
H02.733	Vitiligo of right eye, unspecified eyelid and periocular area
H02.734	Vitiligo of left upper eyelid and periocular area
H02.735	Vitiligo of left lower eyelid and periocular area
H02.736	Vitiligo of left eye, unspecified eyelid and periocular area
H02.739	Vitiligo of unspecified eye, unspecified eyelid and periocular area
L20.0	Besnier'S Prurigo
L20.81	Atopic Neurodermatitis
L20.82	Flexural Eczema
L20.84	Intrinsic (Allergic) Eczema
L20.89	Other Atopic Dermatitis
L25.9	Unspecified Contact Dermatitis, Unspecified Cause
L28.0	Lichen Simplex Chronicus
L28.1	Prurigo Nodularis
L28.2	Other Prurigo
L29.0	Pruritus ani
L29.1	Pruritus scroti
L29.2	Pruritus vulvae
L29.3	Anogenital pruritus, unspecified
L29.8	Other Pruritus
L29.9	Pruritus, Unspecified

L30.1	Dyshidrosis [Pompholyx]
L30.9	Dermatitis, unspecified
L41.0	Pityriasis Lichenoides Et Varioliformis Acuta
L41.1	Pityriasis Lichenoides Chronica
L41.3	Small plaque parapsoriasis
L41.4	Large plaque parapsoriasis
L41.5	Retiform parapsoriasis
L41.8	Other Parapsoriasis
L41.9	Parapsoriasis, unspecified
L43.0	Hypertrophic lichen planus
L43.1	Bullous lichen planus
L43.2	Lichenoid drug reaction
L43.3	Subacute (active) lichen planus
L43.8	Other Lichen Planus
L43.9	Lichen planus, unspecified
L63.0	Alopecia (capitis) totalis
L63.1	Alopecia universalis
L63.2	Ophiasis
L63.8	Other alopecia areata
L63.9	Alopecia areata, unspecified
L66.1	Lichen Planopilaris
L80	Vitiligo
L94.5	Poikiloderma vasculare atrophicans
L98.1	Factitial Dermatitis
Q82.2	Congenital cutaneous mastocytosis

The above **medical necessity criteria** **MUST** be met for the following codes to be covered for Commercial Members: Managed Care (HMO and POS), PPO, Indemnity, Medicare HMO Blue and Medicare PPO Blue:

CPT Codes

CPT codes:	Code Description
96900	Actinotherapy (ultraviolet light)
96910	Photochemotherapy; tar and ultraviolet B (Goeckerman treatment) or petrolatum and ultraviolet B

The following ICD Diagnosis Codes are considered medically necessary when submitted with the CPT codes above if **medical necessity criteria** are met:

ICD-10 Diagnosis Codes

ICD-10CM diagnosis codes:	Code Description
C84.00	Mycosis Fungoides, Unspecified Site
C84.01	Mycosis Fungoides, Lymph Nodes Of Head, Face, And Neck
C84.02	Mycosis Fungoides, Intrathoracic Lymph Nodes
C84.03	Mycosis Fungoides, Intra-Abdominal Lymph Nodes
C84.04	Mycosis Fungoides, Lymph Nodes Of Axilla And Upper Limb
C84.05	Mycosis Fungoides, Lymph Nodes Of Inguinal Region And Lower Limb
C84.06	Mycosis Fungoides, Intrapelvic Lymph Nodes
C84.07	Mycosis Fungoides, Spleen
C84.08	Mycosis Fungoides, Lymph Nodes Of Multiple Sites

C84.09	Mycosis Fungoides, Extranodal And Solid Organ Sites
C84.A0	Cutaneous T-cell lymphoma, unspecified, unspecified site
H02.731	Vitiligo of right upper eyelid and periocular area
H02.732	Vitiligo of right lower eyelid and periocular area
H02.733	Vitiligo of right eye, unspecified eyelid and periocular area
H02.734	Vitiligo of left upper eyelid and periocular area
H02.735	Vitiligo of left lower eyelid and periocular area
H02.736	Vitiligo of left eye, unspecified eyelid and periocular area
H02.739	Vitiligo of unspecified eye, unspecified eyelid and periocular area
L20.0	Besnier'S Prurigo
L20.81	Atopic Neurodermatitis
L20.82	Flexural Eczema
L20.84	Intrinsic (Allergic) Eczema
L20.89	Other Atopic Dermatitis
L20.9	Atopic dermatitis, unspecified
L25.9	Unspecified Contact Dermatitis, Unspecified Cause
L28.0	Lichen Simplex Chronicus
L28.1	Prurigo Nodularis
L28.2	Other Prurigo
L29.0	Pruritus ani
L29.1	Pruritus scroti
L29.2	Pruritus vulvae
L29.3	Anogenital pruritus, unspecified
L29.8	Other Pruritus
L29.9	Pruritus, Unspecified
L30.0	Nummular dermatitis
L30.1	Dyshidrosis [Pompholyx]
L30.9	Dermatitis, unspecified
L40.0	Psoriasis Vulgaris
L40.1	Generalized Pustular Psoriasis
L40.2	Acrodermatitis Continua
L40.3	Pustulosis Palmaris Et Plantaris
L40.4	Guttate Psoriasis
L40.8	Other Psoriasis
L40.9	Psoriasis, unspecified
L41.0	Pityriasis Lichenoides Et Varioliformis Acuta
L41.1	Pityriasis Lichenoides Chronica
L41.3	Small plaque parapsoriasis
L41.4	Large plaque parapsoriasis
L41.5	Retiform parapsoriasis
L41.8	Other Parapsoriasis
L41.9	Parapsoriasis, unspecified
L43.0	Hypertrophic lichen planus
L43.1	Bullous lichen planus
L43.2	Lichenoid drug reaction
L43.3	Subacute (active) lichen planus
L43.8	Other Lichen Planus
L43.9	Lichen planus, unspecified
L63.0	Alopecia (capitis) totalis
L63.1	Alopecia universalis
L63.2	Ophiasis
L63.8	Other alopecia areata
L63.9	Alopecia areata, unspecified

L66.1	Lichen Planopilaris
L80	Vitiligo
L94.5	Poikiloderma vasculare atrophicans
L98.1	Factitial Dermatitis
Q82.2	Congenital cutaneous mastocytosis

The above **medical necessity criteria MUST** be met for the following codes to be covered for Commercial Members: Managed Care (HMO and POS), PPO, Indemnity, Medicare HMO Blue and Medicare PPO Blue:

CPT Codes

HCPCS code:	Code Description
E0694	Ultraviolet multidirectional light therapy system in 6 ft cabinet, includes bulbs/lamps, timer, and eye protection

The following ICD Diagnosis Codes are considered medically necessary when submitted with the HCPCS code above if **medical necessity criteria** are met:

ICD-10 Diagnosis Codes

ICD-10CM diagnosis codes:	Code Description
L40.0	Psoriasis Vulgaris
L40.1	Generalized Pustular Psoriasis
L40.2	Acrodermatitis Continua
L40.3	Pustulosis Palmaris Et Plantaris
L40.4	Guttate Psoriasis
L40.8	Other Psoriasis

The above **medical necessity criteria MUST** be met for the following code to be covered for targeted phototherapy for Commercial Members: Managed Care (HMO and POS), PPO, Indemnity, Medicare HMO Blue and Medicare PPO Blue:

CPT Codes

HCPCS code:	Code Description
96999	Unlisted special dermatological service or procedure

The above **medical necessity criteria MUST** be met for the following codes to be covered for Commercial Members: Managed Care (HMO and POS), PPO, Indemnity, Medicare HMO Blue and Medicare PPO Blue:

CPT Codes

CPT codes:	Code Description
96912	Photochemotherapy; psoralens, and ultraviolet A (PUVA)
96920	Laser treatment for inflammatory skin disease (psoriasis); total area less than 250 sq cm
96921	Laser treatment for inflammatory skin disease (psoriasis); 250 sq cm to 500 sq cm
96922	Laser treatment for inflammatory skin disease (psoriasis); over 500 sq cm

The following ICD Diagnosis Codes are considered medically necessary when submitted with the CPT codes above if **medical necessity criteria** are met:

ICD-10 Diagnosis Codes

ICD-10CM diagnosis codes:	Code Description
L40.0	Psoriasis Vulgaris
L40.1	Generalized Pustular Psoriasis
L40.2	Acrodermatitis Continua
L40.3	Pustulosis Palmaris Et Plantaris
L40.4	Guttate Psoriasis
L40.8	Other Psoriasis
L40.9	Psoriasis, unspecified

Description

Light therapy for psoriasis includes both targeted phototherapy and photochemotherapy with psoralen plus ultraviolet A (PUVA). Targeted phototherapy describes the use of ultraviolet light that can be focused on specific body areas or lesions. PUVA uses a psoralen derivative in conjunction with long wavelength ultraviolet A (UVA) light (sunlight or artificial) for photochemotherapy of skin conditions.

Background

Psoralens with UVA uses a psoralen derivative in conjunction with long wavelength UVA light (sunlight or artificial) for photochemotherapy of skin conditions. Psoralens are tricyclic furocoumarins that occur in certain plants and can also be synthesized. They are available in oral and topical forms. Oral PUVA is generally given 1.5 hours before exposure to UVA radiation. Topical PUVA therapy refers to directly applying the psoralen to the skin with subsequent exposure to UVA light. Bath PUVA is used in some European countries for generalized psoriasis, but the agent used, trimethylpsoralen, is not approved by the U.S. Food and Drug Administration (FDA). Paint PUVA and soak PUVA are other forms of topical application of psoralen and are often used for psoriasis localized to the palms and soles. In paint PUVA, 8-methoxypsoralen (8-MOP) in an ointment or lotion form is put directly on the lesions. With soak PUVA, the affected areas of the body are placed in a basin of water containing psoralen. With topical PUVA, UVA exposure is generally administered within 30 minutes of psoralen application.

PUVA has most commonly been used to treat severe psoriasis, for which there is no generally accepted first-line treatment. Each treatment option (eg, systemic therapies such as methotrexate, phototherapy, biologic therapies) has associated benefits and risks. Common minor toxicities associated with PUVA include erythema, pruritus, irregular pigmentation, and gastrointestinal tract symptoms; these generally can be managed by altering the dose of psoralen or UV light. Potential long-term effects include photoaging and skin cancer, particularly squamous cell carcinoma and possibly malignant melanoma. PUVA is generally considered more effective than targeted phototherapy for the treatment of psoriasis. However, the requirement of systemic exposure and the higher risk of adverse reactions (including a higher carcinogenic risk) have generally limited PUVA therapy to patients with more severe cases.

Potential advantages of targeted phototherapy include the ability to use higher treatment doses and to limit exposure to surrounding tissue. Broadband ultraviolet B (BB-UVB) devices, which emit wavelengths from 290 to 320 nm, have been largely replaced by narrowband (NB)-UVB devices. NB-UVB devices eliminate wavelengths below 296 nm, which are considered erythemogenic and carcinogenic but not therapeutic. NB-UVB is more effective than BB-UVB and approaches PUVA in efficacy. Original NB-UVB devices consisted of a Phillips TL-01 fluorescent bulb with a maximum wavelength (λ_{max}) at 311 nm. Subsequently, xenon chloride (XeCl) lasers and lamps were developed as targeted NB-UVB treatment devices; they generate monochromatic or very narrow band radiation with a λ_{max} of 308 nm. Targeted phototherapy devices are directed at specific lesions or affected areas, thus limiting exposure to the surrounding normal tissues. They may therefore allow higher dosages compared with a light box, which could result in fewer treatments to produce clearing.

The original indication of the excimer laser was for patients with mild to moderate psoriasis, defined as involvement of less than 10% of the skin. Typically, these patients have not been considered candidates for light box therapy, because the risks of exposing the entire skin to the carcinogenic effects of UVB light may outweigh the benefits of treating a small number of lesions. Newer XeCl laser devices are faster and more powerful than the original models, which may allow treatment of patients with more extensive skin involvement, 10% to 20% of body surface area. The American Academy of Dermatology does not recommend phototherapy for patients with mild localized psoriasis whose disease can be controlled with topical medications. A variety of topical agents are available including steroids, coal tar, vitamin D analogs (eg, calcipotriol and calcitriol), tazarotene, anthralin).

Summary

Targeted phototherapy describes the use of ultraviolet light that can be focused on specific body areas or lesions. The literature supports the use of targeted phototherapy for the treatment of moderate to severe psoriasis comprising less than 20% body area for which narrowband ultraviolet B (NB-UVB) or photochemotherapy with psoralen plus ultraviolet A (PUVA) are indicated, and for the treatment of mild to moderate localized psoriasis that is unresponsive to conservative treatment. Based on this review, evidence is lacking for the use of targeted phototherapy for the first-line treatment of mild psoriasis or for the treatment of generalized psoriasis or psoriatic arthritis.

Evidence from randomized controlled trials suggests that PUVA is at least as effective as NB-UVB for patients with moderate to severe psoriasis. In addition, PUVA for severe treatment-resistant psoriasis is well-accepted and is recommended by the American Academy of Dermatology. There is a lack of evidence that home-based PUVA for treating psoriasis is as safe or effective as office-based treatment.

Policy History

Date	Action
2/2019	Targeted Phototherapy for psoriasis transferred from medical policy #698 Light Therapy for Psoriasis. Coverage unchanged.
1/2018	Medically necessary statement on targeted phototherapy clarified. Clarified coding information. 1/1/2018.
10/2017	Clarified coding information. Added information regarding treatment of vitiligo from policy #911 Light Therapy for Vitiligo. Policy #911 retired. Effective 10/1/2017.
4/2017	Clarified coding information.
4/2016	Policy clarified to indicate coverage for UV-B phototherapy for mycosis fungoides. Clarified coding information. 4/1/2016
4/2016	Phototherapy statements transferred from medical policy #698, Light Therapy for Psoriasis. 4/2016. Clarified coding information.
3/2015	New references added from BCBSA National medical policy.
3/2015	UV-B phototherapy indications clarified.
10/2014	Language on Light Therapy for Psoriasis transferred from medical policy #059, Phototherapy to medical policy #698. Clarified: <ul style="list-style-type: none"> o Treatment of vitiligo on the face, neck and hands transferred to medical policy #911, Light Therapy for Vitiligo. o Home phototherapy for neonatal jaundice language removed, treatment is medically necessary. o PUVA for graft versus host disease language for Medicare Advantage members removed. There is no Medicare Local Coverage Determination or National Coverage Determination.
5/3/2012	New references added from BCBSA National medical policy.
11/2011	Reviewed - Medical Policy Group - Plastic Surgery and Dermatology, no changes in coverage.
5/2011	Reviewed - Medical Policy Group - Pediatrics, no changes in coverage.
12/2010	Reviewed - Medical Policy Group - Plastic Surgery and Dermatology, no changes in coverage.
5/2010	Reviewed - Medical Policy Group - Pediatrics, no changes in coverage.

4//2010	Clarified UV-B language and covered indications. Effective 4/24/2010.
4/2010	BCBSA National policy references added with no change in policy statement.
12/2009	Reviewed - Medical Policy Group - Plastic Surgery and Dermatology, no changes in coverage.
6/2009	Clarified coverage for pityriasis lichenoides chronica.
5/2009	Reviewed - Medical Policy Group - Pediatrics, no changes in coverage.
12/2008	Reviewed - Medical Policy Group - Plastic Surgery and Dermatology, no changes in coverage.
11/2008	Added coverage for PUVA for dyshidrosis diagnosis.
5/2008	Reviewed - Medical Policy Group - Pediatrics, no changes in coverage.
4/2008	Added coverage for mild to moderate psoriasis that is unresponsive to conservative therapy and moderate to severe localized psoriasis, comprising less than 20% body areas.
12/2007	Reviewed - Medical Policy Group - Plastic Surgery and Dermatology, no changes in coverage.
5/2007	Reviewed - Medical Policy Group - Pediatrics - Added statement regarding a rapid worsening of neonatal jaundice.
12/2006	Reviewed - Medical Policy Group - Plastic Surgery and Dermatology, no changes in coverage.
12/2006	Coverage indications for UVB were clarified. Clarified coverage exclusion of xenon chloride excimer laser for phototherapeutic treatment of psoriasis.
5/2006	Reviewed - Medical Policy Group - Pediatrics, no changes in coverage.
12/2005	Reviewed - Medical Policy Group - Plastic Surgery and Dermatology, no changes in coverage.
5/2005	Reviewed - Medical Policy Group - Pediatrics, no changes in coverage.
1/2005	Clarified coverage statement for PUVA treatment for graft-versus-host disease for Medicare HMO Blue members.
5/2004	Reviewed - Medical Policy Group - Pediatrics, no changes in coverage.
12/2003	Reviewed - Medical Policy Group - Plastic Surgery and Dermatology, no changes in coverage.
11/2003	Reviewed - Medical Policy Group - Pediatrics, no changes in coverage.
2/1999	Added coverage for home UV-B booth for patients with severe psoriasis who require frequent ultraviolet light treatments but are unable to travel. Effective 3/1/1999.
8/1998	Clarified billing information for the following forms of phototherapy: lamp, light panel, or special blanket.
2/1998	Remove criteria for home phototherapy for neonatal jaundice.
8/1997	Added coverage for PUVA treatment for graft-versus-host disease for Medicare HMO Blue members.
10/1995	Medical Policy issued.

Information Pertaining to All Blue Cross Blue Shield Medical Policies

Click on any of the following terms to access the relevant information:

[Medical Policy Terms of Use](#)

[Managed Care Guidelines](#)

[Indemnity/PPO Guidelines](#)

[Clinical Exception Process](#)

[Medical Technology Assessment Guidelines](#)

References

1. Menter A, Korman NJ, Elmets CA et al. Guidelines of care for the treatment of psoriasis with phototherapy and photochemotherapy. J Am Acad Dermatol 2010; 62(1):114-35.
2. Callen JP, Krueger GG, Lebwohl M et al. AAD consensus statement on psoriasis therapies. J Am Acad Dermatol 2003; 49(5):897-9.
3. Finlay AY. Current severe psoriasis and the rule of tens. Br J Dermatol 2005; 152(5):861-7.

4. Legwohl MD, van de Kerkhof P. *Psoriasis. In Treatment of Skin Disease: Comprehensive Therapeutic Strategies*. London: Mosby; 2005.
5. Almutawa F, Thalib L, Heckman D et al. Efficacy of localized phototherapy and photodynamic therapy for psoriasis: a systematic review and meta-analysis. *Photodermatol Photoimmunol Photomed* 2013.
6. Neumann NJ, Mahnke N, Korpusik D et al. Treatment of palmoplantar psoriasis with monochromatic excimer light (308-nm) versus cream PUVA. *Acta Derm Venereol* 2006; 86(1):22-4.
7. Sezer E, Erbil AH, Kurumlu Z et al. Comparison of the efficacy of local narrowband ultraviolet B (NB-UVB) phototherapy versus psoralen plus ultraviolet A (PUVA) paint for palmoplantar psoriasis. *J Dermatol* 2007; 34(7):435-40.
8. Mudigonda T, Dabade TS, West CE et al. Therapeutic modalities for localized psoriasis: 308-nm UVB excimer laser versus nontargeted phototherapy. *Cutis* 2012; 90(3):149-54.
9. Goldinger SM, Dummer R, Schmid P et al. Excimer laser versus narrow-band UVB (311 nm) in the treatment of psoriasis vulgaris. *Dermatology* 2006; 213(2):134.
10. Kollner K, Wimmershoff MB, Hintz C et al. Comparison of the 308-nm excimer laser and a 308-nm excimer lamp with 311-nm narrowband ultraviolet B in the treatment of psoriasis. *Br J Dermatol* 2005; 152(4):750-4.
11. Mudigonda T, Dabade TS, Feldman SR. A review of targeted ultraviolet B phototherapy for psoriasis. *J Am Acad Dermatol* 2012; 66(4):664-72.
12. Taneja A, Trehan M, Taylor CR. 308-nm excimer laser for the treatment of psoriasis: induration-based dosimetry. *Arch Dermatol* 2003; 139(6):759-64.
13. Taylor CR, Racette AL. A 308-nm excimer laser for the treatment of scalp psoriasis. *Lasers Surg Med* 2004; 34(2):136-40.
14. Nistico SP, Saraceno R, Stefanescu S et al. A 308-nm monochromatic excimer light in the treatment of palmoplantar psoriasis. *J Eur Acad Dermatol Venereol* 2006; 20(5):523-6.
15. Archier E, Devaux S, Castela E et al. Efficacy of psoralen UV-A therapy vs. narrowband UV-B therapy in chronic plaque psoriasis: a systematic literature review. *J Eur Acad Dermatol Venereol* 2012; 26 Suppl 3:11-21.
16. Almutawa F, Alnomair N, Wang Y et al. Systematic review of UV-based therapy for psoriasis. *Am J Clin Dermatol* 2013; 14(2):87-109.
17. Chen X, Yang M, Cheng Y et al. Narrow-band ultraviolet B phototherapy versus broad-band ultraviolet B or psoralen-ultraviolet A photochemotherapy for psoriasis. *Cochrane Database Syst Rev* 2013; 10:CD009481.
18. Amirnia M, Khodaeiani E, Fouladi RF et al. Topical steroids versus PUVA therapy in moderate plaque psoriasis: a clinical trial along with cost analysis. *J Dermatolog Treat* 2012; 23(2):109-11.
19. Sivanesan SP, Gattu S, Hong J et al. Randomized, double-blind, placebo-controlled evaluation of the efficacy of oral psoralen plus ultraviolet A for the treatment of plaque-type psoriasis using the Psoriasis Area Severity Index score (improvement of 75% or greater) at 12 weeks. *J Am Acad Dermatol* 2009; 61(5):793-8.
20. Chauhan PS, Kaur I, Dogra S et al. Narrowband ultraviolet B versus psoralen plus ultraviolet A therapy for severe plaque psoriasis: an Indian perspective. *Clin Exp Dermatol* 2011; 36(2):169-73.
21. Dayal S, Mayanka, Jain VK. Comparative evaluation of NB-UVB phototherapy and PUVA photochemotherapy in chronic plaque psoriasis. *Indian J Dermatol Venereol Leprol* 2010; 76(5):533-7.
22. Nolan BV, Yentzer BA, Feldman SR. A review of home phototherapy for psoriasis. *Dermatol Online J* 2010; 16(2):1.
23. Levin AA, Aleissa S, Dumont N, et al. A randomized, prospective, sham-controlled study of localized narrowband UVB phototherapy in the treatment of plaque psoriasis. *J Drugs Dermatol*. Aug 2014;13(8):922-926. PMID 25116969
24. El-Mofty M, Mostafa WZ, Yousef R, et al. Broadband ultraviolet A in the treatment of psoriasis vulgaris: a randomized controlled trial. *Int J Dermatol*. Sep 2014;53(9):1157-1164. PMID 24697586

MPRM #2.01.47

1. Callen JP, Krueger GG, Lebwohl M, et al. AAD consensus statement on psoriasis therapies. *J Am Acad Dermatol*. Nov 2003;49(5):897-899. PMID 14576671
2. Finlay AY. Current severe psoriasis and the rule of tens. *Br J Dermatol*. May 2005;152(5):861-867. PMID 15888138

3. Legwohl MD, van de Kerkhof P. *Psoriasis. In Treatment of Skin Disease: Comprehensive Therapeutic Strategies*. London: Mosby; 2005.
4. Menter A, Korman NJ, Elmets CA, et al. Guidelines of care for the management of psoriasis and psoriatic arthritis: Section 5. Guidelines of care for the treatment of psoriasis with phototherapy and photochemotherapy. *J Am Acad Dermatol*. Jan 2010;62(1):114-135. PMID 19811850
5. Taneja A, Trehan M, Taylor CR. 308-nm excimer laser for the treatment of psoriasis: induration-based dosimetry. *Arch Dermatol*. Jun 2003;139(6):759-764. PMID 12810507
6. Taylor CR, Racette AL. A 308-nm excimer laser for the treatment of scalp psoriasis. *Lasers Surg Med*. Mar 2004;34(2):136-140. PMID 15004825
7. Nistico SP, Saraceno R, Stefanescu S, et al. A 308-nm monochromatic excimer light in the treatment of palmoplantar psoriasis. *J Eur Acad Dermatol Venereol*. May 2006;20(5):523-526. PMID 16684278
8. Almutawa F, Thalib L, Hekman D, et al. Efficacy of localized phototherapy and photodynamic therapy for psoriasis: a systematic review and meta-analysis. *Photodermatol Photoimmunol Photomed*. Jan 2015;31(1):514. PMID 24283358
9. Mudigonda T, Dabade TS, West CE, et al. Therapeutic modalities for localized psoriasis: 308-nm UVB excimer laser versus nontargeted phototherapy. *Cutis*. Sep 2012;90(3):149-154. PMID 23094316
10. Goldinger SM, Dummer R, Schmid P, et al. Excimer laser versus narrow-band UVB (311 nm) in the treatment of psoriasis vulgaris. *Dermatology*. Aug 2006;213(2):134-139. PMID 16902290
11. Kollner K, Wimmershoff MB, Hintz C, et al. Comparison of the 308-nm excimer laser and a 308-nm excimer lamp with 311-nm narrowband ultraviolet B in the treatment of psoriasis. *Br J Dermatol*. Apr 2005;152(4):750-754. PMID 15840108
12. Chen X, Yang M, Cheng Y, et al. Narrow-band ultraviolet B phototherapy versus broad-band ultraviolet B or psoralen-ultraviolet A photochemotherapy for psoriasis. *Cochrane Database Syst Rev*. Oct 23 2013;10(10):CD009481. PMID 24151011
13. Archier E, Devaux S, Castela E, et al. Efficacy of psoralen UV-A therapy vs. narrowband UV-B therapy in chronic plaque psoriasis: a systematic literature review. *J Eur Acad Dermatol Venereol*. May 2012;26 Suppl 3:11-21. PMID 22512676
14. Amirnia M, Khodaeiani E, Fouladi RF, et al. Topical steroids versus PUVA therapy in moderate plaque psoriasis: a clinical trial along with cost analysis. *J Dermatolog Treat*. Apr 2012;23(2):109-111. PMID 21254854
15. El-Mofty M, Mostafa WZ, Yousef R, et al. Broadband ultraviolet A in the treatment of psoriasis vulgaris: a randomized controlled trial. *Int J Dermatol*. Sep 2014;53(9):1157-1164. PMID 24697586
16. Sivanesan SP, Gattu S, Hong J, et al. Randomized, double-blind, placebo-controlled evaluation of the efficacy of oral psoralen plus ultraviolet A for the treatment of plaque-type psoriasis using the Psoriasis Area Severity Index score (improvement of 75% or greater) at 12 weeks. *J Am Acad Dermatol*. Nov 2009;61(5):793-798. PMID 19766350
17. Khosravi H, Siegel MP, Van Voorhees AS, et al. Treatment of inverse/intertriginous psoriasis: updated guidelines from the Medical Board of the National Psoriasis Foundation. *J Drugs Dermatol*. Aug 01 2017;16(8):760-766. PMID 28809991
18. Prussick R, Wu JJ, Armstrong AW, et al. Psoriasis in solid organ transplant patients: best practice recommendations from The Medical Board of the National Psoriasis Foundation. *J Dermatolog Treat*. Oct 24 2017:1-5. PMID 28884635

MPRM #2.01.86

1. Lopes C, Trevisani VF, Melnik T. Efficacy and safety of 308-nm monochromatic excimer lamp versus other phototherapy devices for vitiligo: a systematic review with meta-analysis. *Am J Clin Dermatol*. Feb 2016;17(1):23-32. PMID 26520641
2. Whitton ME, Pinart M, Batchelor J, et al. Interventions for vitiligo. *Cochrane Database Syst Rev*. Feb 24 2015;2(2):CD003263. PMID 25710794
3. Sun Y, Wu Y, Xiao B, et al. Treatment of 308-nm excimer laser on vitiligo: A systemic review of randomized controlled trials. *J Dermatolog Treat*. Jan 30 2015;26(4):347-353. PMID 25428573
4. Yang YS, Cho HR, Ryou JH, et al. Clinical study of repigmentation patterns with either narrow-band ultraviolet B (NBUVB) or 308 nm excimer laser treatment in Korean vitiligo patients. *Int J Dermatol*. Mar 2010;49(3):317-323. PMID 20465673
5. Zhang C, Zhou L, Huang J, et al. A combination of Yiqiqubai granule and 308-nm excimer laser in treatment of segmental vitiligo: a prospective study of 233 patients. *J Dermatolog Treat*. Nov 2017;28(7):668-671. PMID 28320220

6. Nistico S, Chiricozzi A, Saraceno R, et al. Vitiligo treatment with monochromatic excimer light and tacrolimus: results of an open randomized controlled study. *Photomed Laser Surg.* Jan 2012;30(1):26-30. PMID 22054204
7. Fa Y, Lin Y, Chi XJ, et al. Treatment of vitiligo with 308-nm excimer laser: our experience from a 2-year follow-up of 979 Chinese patients. *J Eur Acad Dermatol Venereol.* Feb 2017;31(2):337-340. PMID 27538097
8. Dong DK, Pan ZY, Zhang J, et al. Efficacy and safety of targeted high-intensity medium-band (304-312 nm) ultraviolet B light in pediatric vitiligo. *Pediatr Dermatol.* May 2017;34(3):266-270. PMID 28318054
9. Bae JM, Jung HM, Hong BY, et al. Phototherapy for vitiligo: a systematic review and meta-analysis. *JAMA Dermatol.* Jul 01 2017;153(7):666-674. PMID 28355423
10. Njoo MD, Spuls PI, Bos JD, et al. Nonsurgical repigmentation therapies in vitiligo. Meta-analysis of the literature. *Arch Dermatol.* Dec 1998;134(12):1532-1540. PMID 9875190
11. Yones SS, Palmer RA, Garibaldinos TM, et al. Randomized double-blind trial of treatment of vitiligo: efficacy of psoralen-UV-A therapy vs Narrowband-UV-B therapy. *Arch Dermatol.* May 2007;143(5):578-584. PMID 17519217
12. Gawkrödger DJ, Ormerod AD, Shaw L, et al. Guideline for the diagnosis and management of vitiligo. *Br J Dermatol.* Nov 2008;159(5):1051-1076. PMID 19036036
13. Taieb A, Alomar A, Bohm M, et al. Guidelines for the management of vitiligo: the European Dermatology Forum consensus. *Br J Dermatol.* Jan 2013;168(1):5-19. PMID 22860621
14. Rodrigues M, Ezzedine K, Hamzavi I, et al. Current and emerging treatments for vitiligo. *J Am Acad Dermatol.* Jul 2017;77(1):17-29. PMID 28619557

Endnotes

¹ PUVA policy issued 12/95 based in part on the American Academy of Dermatology Guidelines of Care for Phototherapy and Photochemotherapy (*Journal of American Academy of Dermatology* 1994; 31:643-8). Also see the clinical review Photochemotherapy beyond psoriasis (Honig et al., *Journal of American Academy of Dermatology* 1994; 31:775-90) for additional information.

² FDA-approved devices. Note: this is not an all-inclusive list. In 2001, a XeCl excimer laser (XTRAC™ by PhotoMedex) received 510(k) clearance from FDA for the treatment of mild to moderate psoriasis. The 510(k) clearance has subsequently been obtained for a number of targeted UVB lamps and lasers, including newer versions of the XTRAC system including the XTRAC Ultra™, the VTRAC™ lamp (PhotoMedex), the BClear™ lamp (Lumenis), and the European manufactured Excilite™ and Excilite μ™ XeCl lamps. The oral psoralen products Oxsoresalen-Ultra (methoxsalen soft gelatin capsules) and 8-MOP (methoxsalen hard gelatin capsules) have been approved by FDA; both are made by Valeant Pharmaceuticals. Topical psoralen products have also received FDA approval eg, Oxsoresalen (Valeant Pharmaceuticals).

³ Based on expert opinion

⁴ Blue Cross Blue Shield Association MPRM #2.01.47

⁵ Blue Cross Blue Shield Association MPRM #2.01.86