



MASSACHUSETTS

Blue Cross Blue Shield of Massachusetts is an Independent Licensee of the Blue Cross and Blue Shield Association

Medical Policy

Embryonic Mesencephalic Transplantation for the Treatment of Parkinsons Disease

Table of Contents

- [Policy: Commercial](#)
- [Policy: Medicare](#)
- [Authorization Information](#)
- [Coding Information](#)
- [Description](#)
- [Policy History](#)
- [Information Pertaining to All Policies](#)
- [References](#)

Policy Number: 625

BCBSA Reference Number: 7.01.10A

Related Policies

None

Policy

Commercial Members: Managed Care (HMO and POS), PPO, and Indemnity Medicare HMO BlueSM and Medicare PPO BlueSM Members

Fetal mesencephalic transplantation for the treatment of Parkinson’s disease is **INVESTIGATIONAL**.

Prior Authorization Information

Pre-service approval is required for all inpatient services for all products.

See below for situations where prior authorization may be required or may not be required for outpatient services.

Yes indicates that prior authorization is required.

No indicates that prior authorization is not required.

N/A indicates that this service is primarily performed in an inpatient setting.

	Outpatient
Commercial Managed Care (HMO and POS)	This is not a covered service.
Commercial PPO and Indemnity	This is not a covered service.
Medicare HMO BlueSM	This is not a covered service.
Medicare PPO BlueSM	This is not a covered service.

CPT Codes / HCPCS Codes / ICD-9 Codes

The following codes are included below for informational purposes. Inclusion or exclusion of a code does not constitute or imply member coverage or provider reimbursement. Please refer to the member’s contract benefits in effect at the time of service to determine coverage or non-coverage as it applies to an individual member.

Providers should report all services using the most up-to-date industry-standard procedure, revenue, and diagnosis codes, including modifiers where applicable.

CPT Codes

There is no specific CPT code for this service.

HCPCS Codes

HCPCS codes:	Code Description
S2103	Adrenal tissue transplant to brain

Description

Parkinson's disease is a degenerative disease that includes symptoms of resting tremor, rigidity, and bradykinesia. The condition usually appears after age 40 years and progresses slowly over many years. Drug treatment with levodopa can usually restore smooth motor function for up to 5–10 years after onset of Parkinson's disease by permitting surviving dopaminergic cells to bypass a rate-limiting enzyme, tyrosine hydroxylase, and thus produce enough dopamine to maintain adequate motor function. Eventually, more dopaminergic cells die, leading to progressive disability.

In an effort to modify motor disability of advanced Parkinson's disease, embryonic mesencephalic (midbrain) tissue containing dopamine-producing cells is implanted into the caudate and putamen of the candidate's brain.

Summary

Because of the variability in the therapeutic effect of transplantation, particularly in patients older than 60 years of age, and the risk of severe dyskinesia and dystonia unresponsive to withdrawal of dopamine-agonist medication, the evidence is not sufficient to permit a conclusion that transplantation of embryonic dopamine neurons improves the net health outcomes for patients with advanced Parkinson's disease. Studies have reported a strong placebo effect, since patients reported better scores if they believed they had received the transplant. In a study of cognition 1 year post-procedure in the NINDS study, the authors reported no significant differences in cognitive performance at follow-up for the transplant or placebo group as performance for most measures remained the same. For all these reasons, transplantation of embryonic dopamine neurons for patients with advanced Parkinson's disease is investigational.

Policy History

Date	Action
11/2011-4/2012	Medical policy ICD 10 remediation: Formatting, editing and coding updates. No changes to policy statements
1/2012	Reviewed - Medical Policy Group - Neurology and Neurosurgery. No changes to policy statements
1/2011	Reviewed - Medical Policy Group - Neurology and Neurosurgery. No changes to policy statements
2/2010	BCBSA National medical policy review. Changes to policy statements
1/2010	Reviewed - Medical Policy Group - Neurology and Neurosurgery. No changes to policy statements
1/2009	Reviewed - Medical Policy Group - Neurology and Neurosurgery. No changes to policy statements
1/2008	Reviewed - Medical Policy Group - Neurology and Neurosurgery. No changes to policy statements
1/2007	Reviewed - Medical Policy Group - Neurology and Neurosurgery. No changes to policy statements

Information Pertaining to All Blue Cross Blue Shield Medical Policies

Click on any of the following terms to access the relevant information:

[Medical Policy Terms of Use](#)

[Managed Care Guidelines](#)

[Indemnity/PPO Guidelines](#)

[Clinical Exception Process](#)

References

1. 2001 TEC Assessment: Embryonic mesencephalic transplantation for the treatment of Parkinson's disease.
2. 1995 TEC Assessment: Fetal mesencephalic transplantation for the treatment of Parkinson's disease.
3. Olanow CW, Goetz CG, Kordower JH et al. A double-blind controlled trial of bilateral fetal nigral transplantation in Parkinson's disease. *Ann Neurol* 2003; 54(3):403-14.
4. Gordon PH, Yu Q, Qualls C et al. Reaction time and movement time after embryonic cell implantation in Parkinson disease. *Arch Neurol* 2004; 61(6):858-61.
5. McRae C, Cherin E, Yamazaki TG et al. Effects of perceived treatment on quality of life and medical outcomes in a double-blind placebo surgery trial. *Arch Gen Psychiatry* 2004; 61(4):412-20.
6. Trott CT, Fahn S, Greene P et al. Cognition following bilateral implants of embryonic dopamine neurons in PD: a double blind study. *Neurology* 2003; 60(12):1938-43.