



MASSACHUSETTS

Blue Cross Blue Shield of Massachusetts is an independent
Licensee of the Blue Cross and Blue Shield Association

Medical Policy

Cardiac Rehabilitation in the Outpatient Setting

Table of Contents

- [Policy: Commercial](#)
- [Policy: Medicare](#)
- [Authorization Information](#)
- [Coding Information](#)
- [Description](#)
- [Policy History](#)
- [Information Pertaining to All Policies](#)
- [References](#)

Policy Number: 916

BCBSA Reference Number: 8.03.08

NCD/LCD:

- National Coverage Determination (NCD) for Cardiac Rehabilitation Programs (20.10)
- National Coverage Determination (NCD) for Cardiac Rehabilitation Programs for Chronic Heart Failure (20.10.1)

Related Policies

None

Policy

Commercial Members: Managed Care (HMO and POS), PPO, and Indemnity

Outpatient cardiac rehabilitation programs are considered **MEDICALLY NECESSARY** for patients with a history of the following conditions and procedures:

- Acute myocardial infarction (heart attack) within the preceding 12 months;
- Coronary artery bypass graft surgery;
- Percutaneous transluminal coronary angioplasty or coronary stenting;
- Heart valve surgery;
- Heart or heart-lung transplantation;
- Current stable angina pectoris; or
- Compensated heart failure.

Repeat participation in an outpatient cardiac rehabilitation program in the absence of another qualifying cardiac event is considered **INVESTIGATIONAL**.

Intensive cardiac rehabilitation with the Ornish Program for Reversing Heart Disease or Pritikin Program is considered **INVESTIGATIONAL**.

Medicare HMO BlueSM and Medicare PPO BlueSM Members

Medical necessity criteria and coding guidance can be found through the links below.

[National Coverage Determinations \(NCDs\)](#)

National Coverage Determination (NCD) for Cardiac Rehabilitation Programs (20.10)

National Coverage Determination (NCD) for Cardiac Rehabilitation Programs for Chronic Heart Failure (20.10.1)

Note: To review the specific NCD, please remember to click “accept” on the CMS licensing agreement at the bottom of the CMS webpage.

Prior Authorization Information

Inpatient

- For services described in this policy, precertification/preauthorization **IS REQUIRED** for all products if the procedure is performed **inpatient**.

Outpatient

- For services described in this policy, see below for products where prior authorization **might be required** if the procedure is performed **outpatient**.

	Outpatient
Commercial Managed Care (HMO and POS)	Prior authorization is not required .
Commercial PPO and Indemnity	Prior authorization is not required .
Medicare HMO Blue SM	Prior authorization is not required .
Medicare PPO Blue SM	Prior authorization is not required .

CPT Codes / HCPCS Codes / ICD Codes

Inclusion or exclusion of a code does not constitute or imply member coverage or provider reimbursement. Please refer to the member's contract benefits in effect at the time of service to determine coverage or non-coverage as it applies to an individual member.

Providers should report all services using the most up-to-date industry-standard procedure, revenue, and diagnosis codes, including modifiers where applicable.

The following codes are included below for informational purposes only; this is not an all-inclusive list.

The above **medical necessity criteria MUST** be met for the following codes to be covered for Commercial Members: Managed Care (HMO and POS), PPO, and Indemnity:

CPT Codes

CPT codes:	Code Description
93797	Physician services for outpatient cardiac rehab; without continuous ECG monitoring (per session)
93798	Physician services for outpatient cardiac rehab; with continuous ECG monitoring (per session)

HCPCS Codes

HCPCS codes:	Code Description
S9472	Cardiac rehabilitation program, non-physician provider, per diem

The following HCPCS codes are considered investigational for **Commercial Members: Managed Care (HMO and POS), PPO, and Indemnity:**

HCPCS Codes

HCPCS codes:	Code Description
--------------	------------------

G0422	Intensive cardiac rehabilitation; with or without continuous ECG monitoring with exercise, per session
G0423	Intensive cardiac rehabilitation; with or without continuous ECG monitoring; without exercise, per session

Description

Heart Disease

Heart disease is the leading cause of mortality in the United States, accounting for more than half of all deaths. Coronary artery disease is the most common cause of heart disease. In a 2015 update on heart disease and stroke statistics from the American Heart Association, it was estimated that 635,000 Americans have a new coronary attack (first hospitalized myocardial infarction or coronary heart disease death) and 300,000 have a recurrent attack annually.¹ Both coronary artery disease and various other disorders structural heart disease and other genetic, metabolic, endocrine, toxic, inflammatory, and infectious causes can lead to the clinical syndrome of heart failure, of which there are about 650,000 new cases in the U.S. annually.² Given the burden of heart disease, preventing secondary cardiac events and treating the symptoms of heart disease and heart failure have received much attention from national organizations.

Cardiac Rehabilitation

In 1995, the U.S. Public Health Service defined cardiac rehabilitation services as, in part, “comprehensive, long-term programs involving medical evaluation, prescribed exercise, cardiac risk factor modification, education, and counseling.... [These programs] are designed to limit the physiologic and psychological effects of cardiac illness, reduce the risk for sudden death or reinfarction, control cardiac symptoms, stabilize or reverse the atherosclerotic process, and enhance the psychosocial and vocational status of selected patients.” The U.S. Public Health Service recommended cardiac rehabilitation services for patients with coronary heart disease and with heart failure, including those awaiting or following cardiac transplantation. A 2010 definition of cardiac rehabilitation from the European Association of Cardiovascular Prevention and Rehabilitation stated: “Cardiac rehabilitation can be viewed as the clinical application of preventive care by means of a professional multi-disciplinary integrated approach for comprehensive risk reduction and global long-term care of cardiac patients.”² Since the release of the U.S. Public Health Service guidelines, other societies, including the American Heart Association (2005)³ and the Heart Failure Society of America (2010)⁴ have developed guidelines on the role of cardiac rehabilitation in patient care.

Summary

Cardiac rehabilitation refers to comprehensive medically supervised programs in the outpatient setting that aim to improve the function of patients with heart disease and prevent future cardiac events. National organizations have specified core components to be included in cardiac rehabilitation programs.

For individuals who have diagnosed heart disease who receive outpatient cardiac rehabilitation, the evidence includes multiple randomized controlled trials (RCTs) and systematic reviews of these trials. Relevant outcomes are overall survival, disease-specific survival, symptoms, and morbid events. Meta-analyses of the available trials have found that cardiac rehabilitation improves health outcomes for select patients, particularly those with coronary heart disease, heart failure, and who have had cardiac surgical interventions. The available evidence has limitations, including lack of blinded outcome assessment, but, for the survival-related outcomes of interest, this limitation is less critical. The evidence is sufficient to determine that the technology results in a meaningful improvement in the net health outcome.

For individuals who have diagnosed heart disease without a second event who receive repeat outpatient cardiac rehabilitation, the evidence includes no trials. Relevant outcomes are overall survival, disease-specific survival, symptoms, and morbid events. No studies were identified evaluating the effectiveness of repeat participation in a cardiac rehabilitation program. The evidence is insufficient to determine the effects of the technology on health outcomes.

For individuals who have diagnosed heart disease who receive intensive cardiac rehabilitation with the Ornish Program for Reversing Heart Disease, the evidence includes an RCT and uncontrolled studies.

Relevant outcomes are overall survival, disease-specific survival, symptoms, and morbid events. No RCTs have compared the Ornish Program with a “standard” cardiac rehabilitation program; an RCT compared it with usual care. The trial included patients with coronary artery disease and no recent cardiac events and had mixed findings at 1 and 5 years. The trial had a small sample size for a cardiac trial (N=48), and only 35 patients were available for the 5-year follow-up. The Ornish Program is considered by the Centers for Medicare & Medicaid Services as an intensive cardiac rehabilitation program, but the program described in the RCT could meet criteria for standard cardiac rehabilitation. No studies were identified comparing the Ornish Program with any other cardiac rehabilitation program. The evidence is insufficient to determine the effects of the technology on health outcomes.

For individuals who have diagnosed heart disease who receive intensive cardiac rehabilitation with the Pritikin Program, the evidence includes a case series. Relevant outcomes are overall survival, disease-specific survival, symptoms, and morbid events. Studies are needed that compare the impact of intensive cardiac rehabilitation using the Pritikin Program with standard outpatient cardiac rehabilitation programs. The evidence is insufficient to determine the effects of the technology on health outcomes.

Policy History

Date	Action
4/2019	BCBSA National medical policy review. Description, summary and references updated. Policy statements unchanged.
8/2018	BCBSA National medical policy review. Policy criteria revised. Effective 8/1/2018.
11/2017	BCBSA National medical policy review. New investigational indications described. Clarified coding information. Effective 11/1/2017.
7/2016	New references added from BCBSA National medical policy.
4/2016	New references added from BCBSA National medical policy.
8/2015	New references added from BCBSA National medical policy.
9/2015	Medically necessary statement on acute myocardial infarction revised; preceding 12 months removed. Clarified coding information. Effective 9/1/2015.
9/2014	NCD Cardiac Rehabilitation Programs (20.10) updated. NCD Cardiac Rehabilitation Programs for Chronic Heart Failure (20.10.1) added.
9/2014	New references added from BCBSA National medical policy.
6/2014	Updated Coding section with ICD10 procedure and diagnosis codes. Effective 10/2015.
8/2013	New references from BCBSA National medical policy.
2/2013	New policy describing coverage and non-coverage.

Information Pertaining to All Blue Cross Blue Shield Medical Policies

Click on any of the following terms to access the relevant information:

[Medical Policy Terms of Use](#)

[Managed Care Guidelines](#)

[Indemnity/PPO Guidelines](#)

[Clinical Exception Process](#)

[Medical Technology Assessment Guidelines](#)

References

1. Mozaffarian D, Benjamin EJ, Go AS, et al. Heart disease and stroke statistics--2015 update: a report from the American Heart Association. *Circulation*. Jan 27 2015;131(4):e29-322. PMID 25520374
2. Yancy CW, Jessup M, Bozkurt B, et al. 2013 ACCF/AHA guideline for the management of heart failure: executive summary: a report of the American College of Cardiology Foundation/American Heart Association Task Force on practice guidelines. *Circulation*. Oct 15 2013;128(16):1810-1852. PMID 23741057
3. Corra U, Piepoli MF, Carre F, et al. Secondary prevention through cardiac rehabilitation: physical activity counselling and exercise training: key components of the position paper from the Cardiac Rehabilitation Section of the European Association of Cardiovascular Prevention and Rehabilitation. *Eur Heart J*. Aug 2010;31(16):1967-1974. PMID 20643803
4. Leon AS, Franklin BA, Costa F, et al. Cardiac rehabilitation and secondary prevention of coronary heart disease: an American Heart Association scientific statement from the Council on Clinical

- Cardiology (Subcommittee on Exercise, Cardiac Rehabilitation, and Prevention) and the Council on Nutrition, Physical Activity, and Metabolism (Subcommittee on Physical Activity), in collaboration with the American Association of Cardiovascular and Pulmonary Rehabilitation. *Circulation*. Jan 25 2005;111(3):369-376. PMID 15668354
5. Heart Failure Society of America, Lindenfeld J, Albert NM, et al. HFSA 2010 Comprehensive Heart Failure Practice Guideline. *J Card Fail*. Jun 2010;16(6):e1-194. PMID 20610207
 6. Oldridge N. Exercise-based cardiac rehabilitation in patients with coronary heart disease: meta-analysis outcomes revisited. *Future Cardiol*. Sep 2012;8(5):729-751. PMID 23013125
 7. Anderson L, Thompson DR, Oldridge N, et al. Exercise-based cardiac rehabilitation for coronary heart disease. *Cochrane Database Syst Rev*. Jan 5 2016;1:CD001800. PMID 26730878
 8. Davies EJ, Moxham T, Rees K, et al. Exercise based rehabilitation for heart failure. *Cochrane Database Syst Rev*. 2010(4):CD003331. PMID 20393935
 9. Heran BS, Chen JM, Ebrahim S, et al. Exercise-based cardiac rehabilitation for coronary heart disease. *Cochrane Database Syst Rev*. Jul 6 2011(7):CD001800. PMID 21735386
 10. Taylor RS, Sagar VA, Davies EJ, et al. Exercise-based rehabilitation for heart failure. *Cochrane Database Syst Rev*. Apr 27 2014;4(4):CD003331. PMID 24771460
 11. West RR, Jones DA, Henderson AH. Rehabilitation after myocardial infarction trial (RAMIT): multi-centre randomised controlled trial of comprehensive cardiac rehabilitation in patients following acute myocardial infarction. *Heart*. Apr 2012;98(8):637-644. PMID 22194152
 12. Doherty P, Lewin R. The RAMIT trial, a pragmatic RCT of cardiac rehabilitation versus usual care: what does it tell us? [editorial]. *Heart*. Apr 2012;98(8):605-606. PMID 22505460
 13. Pandey A, Kitzman DW, Brubaker P, et al. Response to endurance exercise training in older adults with heart failure with preserved or reduced ejection fraction. *J Am Geriatr Soc*. Aug 2017;65(8):1698-1704. PMID 28338229
 14. Kitzman DW, Brubaker PH, Morgan TM, et al. Exercise training in older patients with heart failure and preserved ejection fraction: a randomized, controlled, single-blind trial. *Circ Heart Fail*. Nov 2010;3(6):659-667. PMID 20852060
 15. Sumner J, Harrison A, Doherty P. The effectiveness of modern cardiac rehabilitation: A systematic review of recent observational studies in non-attenders versus attenders. *PLoS One*. May 2017;12(5):e0177658. PMID 28498869
 16. Nilsson BB, Lunde P, Groggaard HK, et al. Long-term results of high-intensity exercise-based cardiac rehabilitation in revascularized patients for symptomatic coronary artery disease. *Am J Cardiol*. Jan 1 2018;121(1):21-26. PMID 29096886
 17. Ornish D, Brown SE, Scherwitz LW, et al. Can lifestyle changes reverse coronary heart disease? The Lifestyle Heart Trial. *Lancet*. Jul 21 1990;336(8708):129-133. PMID 1973470
 18. Ornish D, Scherwitz LW, Billings JH, et al. Intensive lifestyle changes for reversal of coronary heart disease. *Jama*. Dec 16 1998;280(23):2001-2007. PMID 9863851
 19. Barnard RJ, Guzy PM, Rosenberg JM, et al. Effects of an intensive exercise and nutrition program on patients with coronary artery disease: five-year follow-up. *J Cardiac Rehabil* 1983;3:183-190.
 20. Qaseem A, Fihn SD, Dallas P, et al. Management of stable ischemic heart disease: summary of a clinical practice guideline from the American College of Physicians/American College of Cardiology Foundation/American Heart Association/American Association for Thoracic Surgery/Preventive Cardiovascular Nurses Association/Society of Thoracic Surgeons. *Ann Intern Med*. Nov 20 2012;157(10):735-743. PMID 23165665
 21. Balady GJ, Williams MA, Ades PA, et al. Core components of cardiac rehabilitation/secondary prevention programs: 2007 update: a scientific statement from the American Heart Association Exercise, Cardiac Rehabilitation, and Prevention Committee, the Council on Clinical Cardiology; the Councils on Cardiovascular Nursing, Epidemiology and Prevention, and Nutrition, Physical Activity, and Metabolism; and the American Association of Cardiovascular and Pulmonary Rehabilitation. *Circulation*. May 22 2007;115(20):2675-2682. PMID 17513578
 22. Centers for Medicare and Medicaid Services (CMS). Medicare Claims Processing Manual (Publication 100-04 Chapter 32). 2017; <https://www.cms.gov/Regulations-and-Guidance/Guidance/Manuals/downloads/clm104c32.pdf>. Accessed February 14, 2018.
 23. Centers for Medicare & Medicaid Services (CMS). CMS Manual System: Pub 100-03 Medicare National Coverage Determinations. Cardiac Rehabilitation Programs for Chronic Heart Failure. 2014; <http://www.cms.gov/Regulations-and-Guidance/Guidance/Transmittals/downloads/R171NCD.pdf>. Accessed February 14, 2018.

24. Centers for Medicare & Medicaid Services (CMS). National Coverage Determination (NCD) for Intensive Cardiac Rehabilitation Programs (20.31). 2010; <http://www.cms.gov/medicare-coverage-database/details/ncd-details.aspx?NCDId=339&ncdver=1&CoverageSelection=National&Keyword=intensive+cardiac&KeywordLookup=Title&KeywordSearchType=And&clickon=search&bc=gAAAABAAAA&>. Accessed February 14, 2018.
25. Centers for Medicare & Medicaid Services (CMS). Decision Memo for INTENSIVE CARDIAC Rehabilitation (ICR) Program - Dr. Ornish's Program for Reversing Heart Disease (CAG-00419N). 2010; <https://www.cms.gov/medicare-coverage-database/details/nca-decision-memo.aspx?NCAId=240&NCDId=339&ncdver=1&CoverageSelection=National&Keyword=intensive+cardiac&KeywordLookup=Title&KeywordSearchType=And&clickon=search&IsPopup=y&bc=AAAAAAACAAA%3d%3d&>. Accessed February 14, 2018.
26. Centers for Medicare & Medicaid Services (CMS). Decision Memo for INTENSIVE CARDIAC Rehabilitation (ICR) Program - Pritikin Program (CAG-00418N). 2010; <https://www.cms.gov/medicare-coverage-database/details/nca-decision-memo.aspx?NCAId=239&NCDId=339&ncdver=1&CoverageSelection=National&Keyword=intensive+cardiac&KeywordLookup=Title&KeywordSearchType=And&clickon=search&IsPopup=y&bc=AAAAAAACAAA%3d%3d&>. Accessed February 14, 2018.